620 North Santiago Street Santa Ana. CA 92701

Spring/Summer Sales

March 1 - May 30, 2021

ZOLL[®] The AED Plus




Superior Support in a Rescue 100% of the time.

The fully automatic AED Plus is designed to make using an AED as simple as possible for a lay rescuer. If it detects a shockable heart rhythm, after a brief countdown, the AED Plus will deliver the shock automatically - no need for the rescuer to push the Shock button.



The only AED with CPR Help® The AED Plus[®] is the only AED with Real CPR Help®, real-

time CPR feedback to help rescures save a life. Only half of all sudden cardiac arrest victims will need a shock, while 100% will need high-quality CPR.



The AED Plus Advantage

Once installed, the AED Plus has a low total cost of ownership. Long shelf-life batteries that last five years and the CPR-D-padz[®] will last five years as well. Zoll AED's will offer you high quality.

Aquatic ADA Approved Pool Lifts

PAL[®] Series - The leader in Portable Pool Lifts

SR Smith.



PAL2 202-0000

38-2135 - SR SMITH PAL2

Same as PAL pool lift, with a modernized look and durable matte finish Fixed portable, free-standing PAL Lift 300 lb/136 kg lifting capacity - 240° rotation ensures a safe transfer area LiftOperator[®] Intelligent Control includes 24 Volt rechargeable battery Powder-coated stainless steel and aluminum Integrated armrests - CA Compliant



PAL Hi/Lo 250-0000

Useful for facilities that have both in-ground pools and raised spas Fixed portable, free-standing PAL Lift 300 lb/136 kg lifting capacity - 240° rotation ensures a safe transfer area LiftOperator[®] Intelligent Control includes 24 Volt rechargeable battery Gray Mist Powder-coated stainless steel and aluminum construction Integrated armrests CA Compliant

38-2131 - SR SMITH PAL Hi/Lo



....

Control is the most technologically advanced pool lift control on the market. personnel, the LiftOperator ensures user safety. The control's internal memory stores information

about pool lift usage that can be pulled onto a standard USB drive, and uploaded onto your computer for analysis. The optional Activation Key prevents unauthorized use ideal for unattended pool environments.

Part Number(s): 400-7001, 400-7001K, 400-7000, 400-7000K, 1001499, 1001600

OWATERLINE TECHNOLOGIES, INC. Aquatic & Equipment



12-1140 - Laderal V-Vac Starter Kit

12-1103 - Water Safety Lifeguard Hip Pack



Spring/Summer Sales

12-1125 - Breakaway Lifeguard Lanyard

12-1136 - California Lifeguard Straw Hat

WATERLINE TECHNOLOGIES. INC.

Spring/Summer Sales

straps.

System

System

WATERLINE TECHNOLOGIES. INC.



Radnor Steel Case First Aid Kits ANSI Compliant Bulk First Aid kits can be wall mounted or carried to any location. Kits are for minor first aid treatment.

- 12-1755 First Aid Kit for 25 People 12-1756 - First Aid Kit for 50 People 12-1757 - First Aid Kit for 75 People 12-1712 - First Aid Kit for 125 People







First Aid Wool Blanket with Red Case Safety Blanket 62" x 80" - 90 % Wool 12-1713 - 90% Wool Blanket/Case 12-1699 - 80% Wool Blanket Only

PREMIUM QUALITY RESCUE TUBES



Lifeguard Rescue Tubes

Premium and Economy Rescue Tubes. No clips, no rings. Adjustable shoulder strap is connected to the tube by 1" nylon strapping that extends completely through the length of the tube for added strength.

12-1936 - Premium Color Rescue Tube, 50" 12-1937 - Economy Red Rescue Tube, 48"



Jim Buoy Coast Guard Approved Ring Buoy Solid closed cell foam throughout, soft and resilient to the touch. Double UV inhibitor prevents deterioration and resists weather and extreme temperatures. White with webbing strans

12-1836 - 20" Ring Buoy USCG Approved 12-1839 - 24" Ring Buoy USCG Approved 12-1837 - 30" Ring Buoy USCG Approved



Jim Buoy Life Ring Cabinets Hard case with white plastic backing. Includes cabinet, life ring, buoy hanger, 60' throw line with foot anchor. 12-1838 - 24" Cabinet with Ring Buoy 12-1845 - 30" Cabinet with Ring Buoy



Rescue Hook and Straight Safety Pole Safety Body Hook with double brass bolts, wing nuts. 12-1830 - Aluminum Body Hook 12-1204 - 16 ft. Aluminum Pole 12-1260 - 16 ft. Fiberglass Pole

Premium 50" Large Rescue Tube with Reach Assist


of the tube. Includes "Guard" lettering and adjustable shoulder strap. 12-1939 Large Rescue Tube with Reach Assist





50" Mesh Rescue Tube

Durable nylon mesh completely encases the tube. Tow line with adjustable 2" wide shoulder strap. 12-1943 50" - Nylon Mesh Rescue Tube



Haws Safety Shower and Evewash Stations AXION MSR[™] 8300 Series Combination

drench shower and eye/face wash. Units may be ordered with corrosion resistant naint

12-3208 - Drench Shower and Eye Wash



LANE LINE STORAGE REELS

Competitor[™] offers two easy options for easy, mobile storage and installation of racing lanes. The Elite Stor Lane Reel and the Classic Competitor Stor Lane Reel. The Elite Reel holds up to 900 feet of 4" lanes and 450 feet of 6" lanes. The Classic holds up to 525 feet of 4" lanes and 300 feet of 6" lanes.

38-0428 - Classic Lane Line Reel 38-0427 - Elite Lane Line Reel 38-0429 - Classic Lane Line Cover



PACE CLOCKS Competitor[™] Pace clocks – 31" diameter electric clocks, 110 volts. 38-0473 - 31" Electric Clock with White Face

38-0477 - 31" Electric Clock with Black Face



STAINLESS STEEL EXTENSION HOOKS All hooks come with rubber coating. 38-0446 - 2" Extension hook 38-0448 - 8" Extension hook

38-0450 - 12" Extension hook 38-0452 - 24" Extension hook



RACING LANE LINE Competitor[™] lanes include take-up reels.Please specify colors when placing orders. All Competitor 4" Lanes on Sale.

38-0420 - 60 foot 4" Lane Line 38-0422 - 75 foot 4" Lane Line 38-0424 - 25 Meter 4" Lane Line 38-0426 - 50 Meter 4" Lane Line 38-0560 - 6" SS Gutter Cap





LEAF RAKES Long lasting professional leaf rakes at various sizes. 12-1414 - The PRO-LITE 18" 12-1413 - The RED BARON 20" 12-1435 - The GATOR 24"

VACUUM HOSE REEL The HOSE BUGGY holds up

to 200 feet of 2" commercia vacuum hose. Powder coated stainless frame, solid end caps prevents hose from getting caught in the reel. Plastic handle mounted storage box.

12-0980 - The HOSE BUGGY



COMMERCIAL SUPER SWEEP VAC HEADS The SUPER SWEEP Pro-Vac is the largest vac head available. Smooth ball bearing wheels, chrome plated brass swivel handle, large 2" yoke for triple suction point. 2" suction fitting.

12-0827 - The SUPER SWEEP - 30" 12-0830 - The SUPER SWEEP - 36" 12-0829 - The SUPER SWEEP - 42"



HEAVY DUTY PROFESSIONAL TELE POLES Made with satin clear anodized drawn tubing, these tele poles stand up to all weather conditions. Special designed inner and outer locking system. Where protection from electrical shock is required please refer to our fiberglass tele and straight poles.

12-1208 - 8 ft. ext. to make a 40 ft. Pole **12-1211 -** 8 ft. to 16 ft. Fiberglass Pole 12-1266 - 12 ft. to 24 ft. Fiberglass Pole 12-1260 - 16 ft. Fiberglass Straight Pole 12-1261 - 12 ft. Fiberglass Straight Pole

Spring/Summer Sales







- 12-1462 8 ft. to 16 ft. Threaded Nylon Outer Lock
- 12-1467 12 ft. to 24 ft. Threaded Nylon Outer Lock
- 12-1466 16 ft. to 32 ft. Threaded Nvlon Outer Lock
- 12-1207 9 ft. to 31 ft. Threaded Nylon Outer Lock

46" WATER BROOM

The Watermiser[™] HDI 46 Inch Water Saving Heavy Duty Industrial Waterbroom[™] is one of the most fantastic and useful water conservation products ever invented. Built for commercial use the Watermiser HDI 46 Inch Water Saving Heavy Duty Industrial



Waterbroom[™] can save up to 80% or more of the water used by a power washer or hose alone.

12-0985 46" Industrial Watermizer[™] Water Broom



WALL BRUSHES

We carry many different types of wall brushes. Many are blue nylon bristles, solid back with an aluminum handle and frame. Made for a long lasting life.

12-1611 - 18" Mixed Stainless Steel and Nylon Bristles -Curved

- 12-1631 24" Nylon Bristles Curved
- 12-1616 36" Nylon Bristles Curved
- 12-1607 12" Stainless Steel Algae Brush
- 12-1608 18" Stainless Steel Algae Brush

VACUUM HOSES

King™ Service tuff floating hose. Extremely rugged, crushproof. One solid end hose cuff with the other end a swivel cuff. Blue/ White hose with a one year warranty.

12-0650 - 1½" x 50 feet

12-0659 - 2" x 50 feet 12-0658 - 2" x 75 feet 12-0660 - 2" x 100 feet

ECONO VAC CARTS

For use as a portable vac system or a drain system. Powder coated Stainless Steel cart, tires, pump with large basket and clear lid. GFCI protected on/off switch. 100 feet power cord. 1 1/2" or 2" connections.



38-0202 - 1 HP ECONO VAC CART 38-0206 - 1 1/2HP ECONO VAC CART



WATERLINE TECHNOLOGIES. INC.

Spring/Summer Sales

WATERLINE TECHNOLOGIES. INC.

TAYLOR TEST KITS AND SOLUTIONS



The Complete[™]

Free and Total Chlorine .5 to 5 ppm. Bromine 1 to 10 ppm, pH 7.8 to 8.0. Acid and Base demand, TA and CA plus Cyanuric Acid. These kits are designed for the pool and spa professional.

12-0076 - The Complete[™] with .75 oz. solutions

12-0087 - The Complete[™] with 2.0 oz. solutions

Taylor Replacement Solutions

12-0430 - .75 oz. Reagent #1

12-0431 - 2.0 oz. Reagent #1 12-0432 - .75 oz. Reagnet #2 12-0433 - 2.0 oz. Reagent #2 12-0434 - .75 oz Reagent #3

12-0435 - 2.0 oz. Reagent #3



The Complete[™] with FAS-DPD Advantage All the same tests as the 2005 series test kits. The DPD-FAS Advantage takes the color choice out of the equation.

Dropping drops to a clear solution eliminates a user from color perception.

12-0088 - The Complete[™] FAS-DPD with .75 oz. solutions

12-0085 - The Complete[™] FAS-DPD with 2.0 oz. solutions

BACTERIA TEST STRIPS

The Watersafe® Bacteria Test for pools and spas is the only fifteenminute do-it-yourself water safety test on the market today. The Watersafe® bacteria test is affordably priced, easy



to use, easy to understand, and offers quick and accurate results. Water Safe tests for many types of bacteria: E.coli, Pseudomonas aeruginosa, species of Shigella, Enterobacter. Coliform and non-coliform bacteria. 12-0412 - Box of 10 Bacteria Test Strips

LAMOTTE TEST KITS AND SOLUTIONS



The ColorQ[®] 2X Pro 7

The Waterproof Bluetooth® ColorQ 2X PRO 7 handheld pool and spa professional photometer directly measures Free Chlorine (DPD), Total Chlorine (DPD), Bromine (DPD), pH. Alkalinity, Calcium Hardness and Cyanuric Acid (Stabilizer) directly on a digital display

12-0120 ColorQ 2X PRO 7 - Liquid Reagents (product code 2086)

12-0131 ColorQ 2X PRO 7 - Tablets (product code 2087)

The Waterproof, Bluetooth® ColorQ 2X Pro photometer directly measures seven pool & spa tests which includes Free Chlorine, Total Chlorine, Bromine, pH, Alkalinity, Calcium Hardness and Cyanuric Acid. The photometer is easy to use and includes 100 TesTabs® tablet reagents per test factor packaged in blister-style foil.



LaMotte Replacement Solutions

12-0150 - 30 Mil DPD 1A 12-0151 - 60 Mil DPD 1A 12-0152 - 30 Mil DPD 1B 12-0153 - 60 Mil DPD 1B 12-0154 - 30 Mil DPD 3 12-0155 - 60 Mil DPD 3 12-0156 - 30 Mil PH 12-0157 - 60 Mil PH



Scuba II Pool Tester Chlorine. pH, Alkalinity, Cyanuric Acid

Pool users can now benefit from the entrusted Lovibond® technology used in public pools. The new Scuba II is a small. compact, easy-to-use digital water tester for the 5 most important tests: Free Chlorine,

Total Chlorine, pH, Alkalinity and Cyanuric Acid. This buovant, watertight instrument is ideal for quick testing (results displayed in a large viewing area within 1 minute). Supplied with sufficient tablets for a normal season's testing, it is the ideal solution for users looking for accurate, digital results.

N

Scuba II

12-7501 - Scuba II Test Kit



ULTRPEN POCKET TESTER

Ultrapen Pocket Testers offers accuracy and portability. These testing pens are just the size of a normal writing pen. Comes with battery installed, scoop, pocket clip, holster, lanyard. 12-1770 - PT1 - Cond., TDS, Salt, Temp

12-1771 - PT2 - pH and Temp

12-1772 - PT3 - ORP and Temp

12-1773 - PT4 - Free Chlorine and Temp



RITE in the RAIN **COMMERCIAL POOL AND SPA LOG BOOK** The 8 1/2" x 11" Commercial Pool and Spa Logs are made

with a durable Polydura cover, wire-o binding, and printed on Rite in the Rain all-weather

paper. The Commercial Pool and Spa Log is capable of handling the busiest of pools! The notebook includes detailed tables for up to 6 months of daily pool records and is designed to meet local Health Department specifications.

ALT IN MARKA

34-2028 - Pool / Spa Log Book

CHEMICAL CONTROLLERS

Chemtrol[®] CH250

Digital controller designed to maintain both sanitizer (ORP or Redox) and pH. For small commercial pools and spas and light industrial applications. Safety Flow switch and probe bypass kit included.

28-0905 - Chemtrol® CH250

Chemtrol[®] PC2100

The new PC2100 Controller features automatic control of ORP and pH with display of the LSI index. With new electronics, a larger 8-line display screen. Options include ppm, TDS, temp and remote monitoring Now with USB and Micro SD ports.

28-0899 - Chemtrol® PC2100

WWW.WATERLINETECHNOLOGIES.COM

STENNER CLASSIC SERIES CHEMICAL PUMPS

The Classic Series is a single or double head pump. Each pump is available as adjustable or fixed output, perfect for accurate and repeatable injection of chemicals or liquid additives. The adjustable model outputs range fro 5 to 100% by utilizing the external dial ring. The fixed output models are ideal for use with controllers or injection systems based upon water volume. Snap-fit components allow service without tools, self priming up to 25 feet. Please select correct pump based upon low or high pressure.



Low and High Pressure Single Head **Adjustable Pumps**

The Classic Series single head adjustable metering pump is built with three detachable components; the motor, feed rate control, and the pump head. The output is determined by three factors; the rpm of the motor gears, the percentage setting on the feed rate control, and the size of the pump tube.

These pumps are all 3/8" tubing. 28-0580 - 45M5 2.5 to 50 GPD at 25 PSI 28-0581 - 85M5 4.3 to 85 GPD at 25 PSI 28-0583 - 45MHP10 .5 to 10 GPD at 100 PSI 28-0586 - 85MHP10 2.0 to 40 GPD at 100 PSI





28-0599 - ¼" Injection Fitting, nut and ferrule, each

28-0595 - ¼" Injection Fitting, nut and ferrule, 5 pk.

Classic Series Feed Rate Control Kits

28-0655 - Feed Rate Control 45m & 85m FC5040D 28-0656 - Feed Rate Control 100 & 170 DM5040D



Adjustable Pumps tubes in both heads.

These pumps are all 3/8" white poly tubing. 28-0588 - 100DM5 5.0 TO 100 GPD AT 25 PSI 28-0587 - 170DM5 8.5 TO 170 GPS AT 25 PSI



28-0623 All Pumps Feed Rate Kit



LMI Chemical Feed Pumps

Designed exclusively for WTI requirements. LMI listened to our needs and designed this very dependable chemical feed pump for liquid bleach and muriatic acid. Bleach systems for pools over 200.000 gallons and muriatic acid systems for pools over 400,000. Standard pump is 1/2" rigid PVC connections. Tubing kit optional. 28-1035 - SD43-88P 14.4 GPH at 150 PSI

28-1036 - ½" Tubing Kit for SD Series 28-1014 - Stainless Steel Mounting Kit Pumps with model numbers ending in SI come with foot valves for tank suction systems. These pumps also come with 4 Function valves as a standard

SALE \$677.70 28-1024 - C121-368SI 0-96 GPD at 100 PSI



Spring/Summer Sales





Low and High Pressure Double Head

The Classic Series double head adjustable pump is built with four detachable components: the motor, feed rate control, and two pump heads. The output is determined by three factors: the rpm of the motor gears, the percentage setting on the feed rate control, and the size of the pump

28-0544 - 100DMHP20 1.0 TO 20.0 GPD AT 100 PSI



Stenner Feed Rate Control Service Kit



QuickPro[®] Service Kit

Classic series pumps with QuickPro® now has repair kits that will replace most parts inside the pump head.

28-0621 - Service Kit QP255K

QuickPro[®] Pump Head

Classic series pump with the QuickPro® can be recognized by the latches on the pump head instead of screws. The pump head



also features a collapsible roller assembly for fast tube replacement without tools.

28-1746 - QP255-1 One head with #5 Tube 28-0624 - QP255-2 Two heads with #5 Tube



Stenner Injection Check Valve

28-1734 - 1/4" Injection Check Valve, each 28-1733 - 1/4" Injection Check Valve, 5 pk. 28-0589 - 3/8" Injection Check Valve, each 28-0597 - 3/8" Injection Check Valve, 5 pk.

Standard Poly Tubing

Poly tubing in various colors used to coordinate pump room tubing connections. 230 PSI at 70 degrees and 120 PSI at 150 degrees allows this tubing to be used in most applications

28-0708 ¹/₄" White poly tubing per foot 28-0704 3/8" White poly tubing per foot **28-0700** ¹/₂" White poly tubing per foot 28-1715 3/8" Yellow poly tubing per foot 28-0716 3/8" Red poly tubing per foot

28-0717 3/8" Green poly tubing per foot



28-1022 - B121-398SI 0-60 GPD at 100 PSI



LMI Pump Rebuild Kits

We carry most of the SP and RPM rebuild kits for LMI feed pumps. Have these kits in your stock for emergency repairs. Kits include many of the liquid end parts to rebuild the liquid pumps heads.

28-1016 - SP-U7 28-1015 - RPM 390/391 28-1018 - RPM 362/398

WATERLINE TECHNOLOGIES, INC.

Spring/Summer Sales

WATERLINE TECHNOLOGIES, INC.

Heavy Duty Rust-Free Aluminum Safety Signs Rust-free aluminum with four 1/4" mounting holes. Special order any sign needed for your facility. These are Heavy Duty preprinted signs designed for long life for large aquatic facilities



12-2173 - 12" x 18"



12-2174 - 12" x 18"



12-2177 - 12" x 18"



12-2172 - 12" x 18"



PORTABLE VACUUM CARTS

Thermal Plastic Pump/Filter Cart

Pool vacuum cart with Pentair CNC cartridge filters. Brackets for electrical cord, and two rubber-tired ball bearing wheels with grease fittings. Cart shall be fabricated from 304 stainless steel and powder coated white. Pentair thermo-plastic pump with _____ HP. 115/230 volts. Pump and filter NSF listed. Blue 100 foot power coard with ground fault (GFI). Double pole 20 amp switch

38-0309 - 11/2Hp with 100 Sq.ft. CNC filter 38-0313 - 2Hp with 100 Sq.ft. CNC filter

Stainless Steel Cart and Filter System

Pool vacuum cart with a 155-square foot single-cartridge filter, lidmounted handle, brackets for electrical cord, and two rubber-tired ball bearing wheels with grease fittings. Cart and filter shall be fabricated from 304 stainless steel, cart shall be powder coated white. All bronze pump with 115/230 volt with 6" bronze trap. Blue 100 foot power cord with ground fault (GFI). Double pole 20 amp switch.

38-0706 - 2hp Portable Vac/Filter cart



WARNING! NO LIFEGUARD ON DUTY CHILDREN UNDER THE AGE OF 14 SHOULD NOT USE POOL WITHOUT AN ADULT IN ATTENDANCE STATE LAW

12-2178 - 18" x 24"



Kick Boards

for available colors.

	D		
	WAVE 80	WAVE 100	
Pool Size	Up to 68 ft.	Up to 98 ft.	
Cable Size	78 ft.	98 ft.	
Product No.	38-2332	38-2333	

Kemps

ORENDA TECHNOLOGIES® -**MORE MEANINGFUL POOL CARE**

Cook



ENZYME + PHOSPHATE REMOVER CV-700 Enzyme + Phosphate remover improves water clarity and chlorine efficiency. The enzymes break down and digest non-living organice waste, which helps the chlorine get through contamination and build a residual of free available chlorine for sanitation.

10-2620 - Quart Bottle CV-700 10-2621 - Gallon Bottle CV-700 10-2622 - 5 Gallon Drum CV-700



ENZYME WATER CLEANER CV-600 Catalytic Enzyme Water Cleaner Concentrate is a unique, stablized enzyme that effectively breaks down and digests organic contaminants commonly found in pools and other recreational water. Boost chlorine efficiency.

10-2600 - Quart Bottle CV-600 10-2601 - Gal2on Bottle CV-600 10-2602 - 5 Gallon Drum CV-600



CALL TOLL-FREE 800/464-7762

WWW.WATERLINETECHNOLOGIES.COM





Hard very light Eva Foam with diamond plate texture. Ask

42-0073 - Small Child Size 15.25" x 9.75" x 1.25"

42-0074 - Large Adult Size 18.75" x 10.5" x 1.25"

Spring/Summer Sales



WAVE 200XL	WAVE 300XL
Up to 127 ft.	Up to 164 ft.
137 ft.	164 ft.
38-1941	38-1904

All-Natural enzyme formula reduces non-living organics and organics and phosphates.



All-Natural formula duces non-living organics to create optimal water clarity.

COLEMAN/STEARNS LIFEJACKETS



Economy Nylon Lifejackets

Features classic open-sided styling, outer quick-release buckles and 1" belts for a secure fit. US Coast Guard approved PFD Type III.

12-1177 - Child Size -12-1176 - Youth Size -12-1178 - Adult Size -



Totemaster The Totemaster storage bins are ideal for storage of wet pool items. Lockable lid allows for safe keeping

12-0944 - Totemaster Regular - 3' x 2' x 3' 12-0945 - Totemaster Plus - 5' x 2' x 3'