

FOR ANY EMERGENCY, 24 HOURS / 7 DAYS, CALL:

1-800-654-6911 (OUTSIDE
USA: 1-423-780-2970)

FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTREC®:

1-800-424-9300 (OUTSIDE
USA: 1-703-527-3887)

FOR ALL SDS QUESTIONS & REQUESTS, CALL:

1-800-511-MSDS (OUTSIDE
USA: 1-423-780-2347)

PRODUCT NAME: **APPLIED BIOCHEMISTS BLACK ALGAETRINE**

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Supplier

Applied Biochemists
1400 Bluegrass Lakes Parkway ,
Alpharetta, GA, 30004
USA

Telephone: +17705215999

Telefax: +17705215999

Web: www.poolspacare.com

REVISION DATE:

08/26/2016

SUPERCEDES:

05/11/2016

MSDS Number:

000000024400

SYNONYMS:

None

CHEMICAL FAMILY:

None

DESCRIPTION / USE

Water treatment chemical

FORMULA:

None established

Manufacturer

Advantis Technologies
1200 Bluegrass Lakes Parkway
Alpharetta, GA 30004
United States of America (USA)

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Acute toxicity (Oral) : Category 4

Acute toxicity (Dermal) : Category 4

Skin corrosion : Category 1B

Serious eye damage : Category 1

GHS label elements

Hazard pictograms

:



Signal word

:

Danger

Hazard statements

:

H302 Harmful if swallowed.
 H312 Harmful in contact with skin.
 H314 Causes severe skin burns and eye damage.

Precautionary statements

:

Prevention:
 P260 Do not breathe vapours.
 P264 Wash hands thoroughly after handling.
 P270 Do not eat, drink or smoke when using this product.
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
Response:
 P301 + P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
 P330 Rinse mouth.
 P362 + P364 Take off contaminated clothing and wash it before reuse.
 P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
 P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
 P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
 P321 Specific treatment (see supplemental first aid instructions on this label).
 P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 Immediately call a POISON CENTER/doctor.
Storage:
 P405 Store locked up.
Disposal:
 P501 Dispose of contents/container in accordance with local regulation.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTSCAS OR CHEMICAL NAME

QUATERNARY AMMONIUM
 COMPOUNDS, BENZYL-C12-16-ALKY

CAS #

68424-85-1

% RANGE

20 - 30

Triethanolamine	102-71-6	5 - 10
Ethanolamine	141-43-5	4 - 8
BASIC COPPER CARBONATE	12069-69-1	4 - 8
Ethanol	64-17-5	2 - 4

SECTION 4. FIRST AID MEASURES

General Advice:	Call a poison control center or doctor for treatment advice. For 24-hour emergency medical assistance, call Arch Chemical Emergency Action Network at 1-800-654-6911. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
Inhalation:	IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
Skin Contact:	IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
Eye Contact:	IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
Ingestion:	IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

SECTION 5. FIREFIGHTING MEASURES

Flammability Summary (OSHA):	Product is not known to be flammable, combustible, pyrophoric or explosive.
------------------------------	---

Flammable Properties

Flash Point:	no data available
Autoignition Temperature:	no data available
Fire / Explosion Hazards:	Material will not ignite or burn.
Extinguishing Media:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Fire Fighting Instructions:	Use water spray to cool unopened containers. In case of fire, use normal fire-fighting equipment and the personal protective equipment recommended in Section 8 to include a NIOSH approved self-contained breathing apparatus.
Hazardous Combustion Products:	During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.
Upper Flammable / Explosive Limit, % in air:	no data available
Lower Flammable / Explosive Limit, % in air:	no data available

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Protection for Emergency Situations:	Additional protective clothing must be worn to prevent personal contact with this material. Those items include but are not limited to boots, impervious gloves, hard hat, splash-proof goggles, impervious clothing, i.e., chemically impermeable suit, self-contained breathing apparatus.
<u>Spill Mitigation Procedures</u>	
Air Release:	Keep people away from and upwind of spill/leak.
Water Release:	This material is soluble in water. Notify all downstream users of possible contamination. Divert water flow around spill if possible and safe to do so.
Land Release:	Contain and/or absorb spill with inert material (e.g. sand, vermiculite). Do not use clay to absorb spill. Avoid release to the environment.
Additional Spill Information :	Prevent further leakage or spillage if safe to do so. Use personal protective equipment as required. Evacuate personnel to safe areas.

SECTION 7. HANDLING AND STORAGE

Handling:	Do not take internally. Avoid contact with skin, eyes and clothing. If in eyes or on skin, rinse well with water. Avoid breathing vapours, mist or gas.
Storage:	Store in a cool, dry and well ventilated place. Isolate from incompatible materials. Do not freeze.
Incompatible Materials for Storage:	Refer to Section 10, "Incompatible Materials."
Empty Container Warning:	Empty containers retain hazardous residue, dispose of accordingly.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ventilation: Use local exhaust ventilation to maintain levels below exposure limits.

Protective Equipment for Routine Use of Product

Respiratory Protection : Wear a NIOSH approved respirator if levels above the exposure limits are possible., A NIOSH approved air purifying respirator with organic vapor/N95 cartridges. Air purifying respirators should not be used in oxygen deficient or IDLH atmospheres or if exposure concentrations exceed ten (10) times the published limit. A NIOSH approved full-face respirator as a minimum.

Skin Protection : Avoid contact with skin. Impervious gloves Boots Apron A full impervious suit is recommended if exposure is possible to a large portion of the body.

Eye Protection: Chemical resistant goggles must be worn. Face-shield

Protective Clothing Type: Impervious, Neoprene, butyl-rubber

General Protective Measures: Ensure that eyewash stations and safety showers are close to the workstation location.

Components with workplace control parameters

Components (CAS-No.)	Value	Control parameters	Basis (Update)
Triethanolamine (102-71-6)	TWA	5 mg/m ³	ACGIH (02 2014)
Ethanolamine (141-43-5)	TWA	3 ppm	ACGIH (02 2014)
	STEL	6 ppm	ACGIH (02 2014)
BASIC COPPER CARBONATE (12069-69-1)	Conc	100 mg/m ³	NIOSH/GUIDE (2005)
Ethanol (64-17-5)	STEL	1,000 ppm	ACGIH (02 2014)

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: liquid

Form: liquid

Color: dark blue

Odor: no data available

Molecular Weight: None established

pH : 9.5 - 9.7

()

Boiling Point: No Data

Melting point/freezing point: no data available

Density: no data available

Vapor Pressure:	no data available
Vapor Density:	> 1
Viscosity:	34.5 mPa.s 20 °C
Solubility in Water:	soluble
Partition coefficient n-octanol/water:	Not applicable
Evaporation Rate:	no data available
Oxidizing:	None established
Volatiles, % by vol.:	no data available
VOC Content	This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM Intermediate or Final VOC's (40 CFR 60.489). This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.
HAP Content	Not applicable

SECTION 10. STABILITY AND REACTIVITY

Stability and Reactivity Summary:	Stable under normal conditions., Product will not undergo hazardous polymerization.
Conditions to Avoid:	Heat
Chemical Incompatibility:	Strong acids and oxidizing agents, Clay
Hazardous Decomposition Products:	Hydrogen chloride gas, Carbon oxides, Nitrogen oxides (NOx)
Decomposition Temperature:	no data available

SECTION 11. TOXICOLOGICAL INFORMATION

Component Animal Toxicology

Oral LD50 value:

QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-16-ALKY	LD50 = 426 mg/kg	Rat
Triethanolamine	LD50 = 7,390 mg/kg	Rat
Ethanolamine	LD50 = 1,700 mg/kg	Rat
BASIC COPPER CARBONATE	LD50 = 1,350 mg/kg	Rat
Ethanol	LD50 = 7,060 mg/kg	Rat

Component Animal Toxicology

Dermal LD50 value:

QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-16-ALKY	no data available
Triethanolamine	LD50 > 2,000 mg/kg Rabbit

Ethanolamine	LD50 approximately 1,000 mg/kg	Rabbit
	LD50 1,025 mg/kg	Rabbit
BASIC COPPER CARBONATE	no data available	
Ethanol	LD50 Believed to be > 2,000 mg/kg	Rabbit

Component Animal ToxicologyInhalation LC50 value:

QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-16-ALKY Triethanolamine	no data available
---	-------------------

A saturated vapor concentration for 8 hours (rats) did not produce any deaths.

BASIC COPPER CARBONATE	no data available
------------------------	-------------------

Ethanol	Inhalation LC50 10 h = 20000 ppm	Rat
---------	----------------------------------	-----

Product Animal Toxicity

<u>Oral LD50 value:</u>	1,030 mg/kg	Rat
-------------------------	-------------	-----

<u>Dermal LD50 value:</u>	1,872 mg/kg	Rat
---------------------------	-------------	-----

<u>Inhalation LC50 value:</u>	No data.
-------------------------------	----------

Skin Irritation:	Corrosive to skin
------------------	-------------------

Eye Irritation:	Corrosive to eyes
-----------------	-------------------

Skin Sensitization:	Not believed to be sensitising to skin.
---------------------	---

Triethanolamine	This material tested negative for skin sensitization in animals.
-----------------	--

Ethanolamine	This material tested negative for skin sensitization in animals.
--------------	--

Subchronic / Chronic Toxicity:	There are no known or reported effects from repeated exposure except those secondary to burns.
--------------------------------	--

Triethanolamine	Animal studies suggest that chronic (repeated) overexposure may result in damage to the liver and kidney.
-----------------	---

Ethanol	Prolonged or repeated ingestion may cause liver damage.
---------	---

Reproductive and Developmental Toxicity:	Not known or reported to cause reproductive or developmental toxicity.
--	--

Triethanolamine	This product has been tested and was shown not to produce any adverse effects on reproductive function or
-----------------	---

fetal development when administered to laboratory animals.

Ethanolamine

This chemical has been tested in laboratory animals and no evidence of teratogenicity, embryotoxicity or fetotoxicity was seen.

Ethanol

This chemical has been tested in laboratory animals and developmental and/or teratogenic effects were seen following ingestion.

Mutagenicity:

Not known or reported to be mutagenic.

Triethanolamine

This chemical has been shown to be non-mutagenic based on a battery of assays.

Ethanolamine

This chemical has been tested in a battery of mutagenicity/genotoxicity assays and the results were negative.

Ethanol

This product has been tested for mutagenicity. Tests revealed both positive and negative results. Based on the weight of evidence, we judge this product NOT to be a mutagenic hazard.

Carcinogenicity:

This product is not known or reported to be carcinogenic by any reference source including IARC, OSHA, NTP or EPA.

Triethanolamine

The International Agency for Research on Cancer (IARC) has classified this product or a component of this product as a Group 3 substance, Unclassifiable as to Its Carcinogenicity to Humans.

Ethanolamine

This product is not known or reported to be carcinogenic by any reference source including IARC, OSHA, NTP or EPA. Chemicals of similar structure have been shown not to cause cancer in laboratory animals.

Ethanol

The International Agency for Research on Cancer (IARC) has classified this product or a component of this product as a Group 3 substance, Unclassifiable as to Its Carcinogenicity to Humans. The FDA determined that this product is not carcinogenic in laboratory animals.

SECTION 12. ECOLOGICAL INFORMATION

Overview: Very toxic to aquatic organisms.

Ecological Toxicity Values for: QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-16-ALKY

Pimephales promelas (fathead minnow) - 96 h LC50 0.28 mg/l

Daphnia magna (Water flea) - 48 h EC50 0.25 mg/l

Selenastrum capricornutum (green algae) - 72 h ErC50 0.049 mg/l

Ecological Toxicity Values for: Triethanolamine

Pimephales promelas (fathead minnow) - (measured, flow-through) 96 h LC50 = 11,800 mg/l
 Daphnia magna, - (nominal, static). 24 h EC50= 1,850 mg/l
 Common shrimp (Crangon crangon) - (nominal, renewal). 48 h LC50> 100 mg/l
 Green algae (Scenedesmus subspicatus) - (nominal, static). 48 h EC50 = 750 mg/l

Ecological Toxicity Values for: Ethanolamine

Rainbow trout (Oncorhynchus mykiss) - (nominal, static). 96 h LC50 = 150 mg/l
 Mosquito fish - (nominal, static). 96 h LC50 = 337.5 mg/l
 Bluegill - (nominal, static). 96 h LC50 = 329.16 mg/l
 Pimephales promelas (fathead minnow) - (measured, flow-through) 96 h LC50 = 2,070 mg/l
 Goldfish - (measured, static) 96 h LC50 = 170 mg/l
 Daphnia magna (Water flea) - (nominal, static). 24 h LC50= 140 mg/l
 Crangon crangon (shrimp) - (nominal, renewal). 48 h LC50> 100 mg/l
 Brine shrimp - 48 h LC50= 7,100 mg/l
 Daphnia magna (Water flea) - 48 h EC50= 65 mg/l

Ecological Toxicity Values for: Ethanol

Pimephales promelas (fathead minnow) - (nominal, static). 96 h LC50 = 14,700 mg/l
 Rainbow trout (Salmo gairdneri), - (nominal, static). 96 h LC50 = 13,000 mg/l
 Brine shrimp - (nominal, static). 48 h LC50= 25.5 mg/l
 Daphnia pulex - (nominal, static). 18 h LC50= 12,100 mg/l
 Daphnia magna, - (nominal, static). 48 h EC50> 10,000 mg/l
 Daphnia magna, - (nominal, static). 48 h LC50= 9,248 mg/l
 Ceriodaphnia dubia - (nominal, static). 48 h LC50= 8,808 mg/l

SECTION 13. DISPOSAL CONSIDERATIONS

CARE MUST BE TAKEN TO PREVENT ENVIRONMENTAL CONTAMINATION FROM THE USE OF THE MATERIAL. THE USER OF THE MATERIAL HAS THE RESPONSIBILITY TO DISPOSE OF UNUSED MATERIAL, RESIDUES AND CONTAINERS IN COMPLIANCE WITH ALL RELEVANT LOCAL, STATE AND FEDERAL LAWS AND REGULATIONS REGARDING TREATMENT, STORAGE AND DISPOSAL FOR HAZARDOUS AND NONHAZARDOUS WASTES.

Waste Disposal Summary :

If this product becomes a waste, it DOES NOT meet the criteria of a hazardous waste as defined under 40 CFR 261, in that it does not exhibit the characteristics of hazardous waste of Subpart C, nor is it listed as a hazardous waste under Subpart D. As a nonhazardous liquid waste, it should be disposed of in accordance with local, state and federal regulations.

SECTION 14. TRANSPORT INFORMATION

DOT

UN number : 3267
 Description of the goods : Corrosive liquid, basic, organic, n.o.s.
 : (Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides)
 Class : 8
 Packing group : II
 Labels : 8
 Emergency Response : 153
 Guidebook Number

TDG

UN number : 3267
 Description of the goods : CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.
 : (Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides)
 Class : 8
 Packing group : II
 Labels : 8

IATA

UN number : 3267
 Description of the goods : Corrosive liquid, basic, organic, n.o.s.
 : (Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides)
 Class : 8
 Packing group : II
 Labels : 8
 Packing instruction (cargo aircraft) : 855
 Packing instruction (passenger aircraft) : 851
 Packing instruction (passenger aircraft) : Y840

IMDG-CODE

UN number : 3267
 Description of the goods : CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.
 : (Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides)

Class : 8
 Packing group : II
 Labels : 8
 EmS Number 1 : F-A
 EmS Number 2 : S-B

SECTION 15. REGULATORY INFORMATION

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals.

Signal word : DANGER!
 Hazard statements : Harmful if swallowed.
 May be fatal if absorbed through skin.
 Corrosive. Causes skin burns.
 Corrosive. Causes irreversible eye damage.
 This pesticide is toxic to fish.
 This pesticide is toxic to aquatic invertebrates.

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
2,2'-Iminodiethanol	111-42-2	100	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313

The following components are subject to reporting levels established by SARA Title III, Section 313:

copper carbonate 12069-69-1

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

This product contains the following toxic pollutants listed under the U.S. Clean Water Act Section 307

	copper carbonate	12069-69-1
US State Regulations		
Massachusetts Right To Know		
	2,2',2''-Nitrilotriethanol	102-71-6
	2-Aminoethanol	141-43-5
	Ethanol	64-17-5
Pennsylvania Right To Know		
	Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides	68424-85-1
	2,2',2''-Nitrilotriethanol	102-71-6
	2-Aminoethanol	141-43-5
	copper carbonate	12069-69-1
	Ethanol	64-17-5
New Jersey Right To Know		
	Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides	68424-85-1
	2,2',2''-Nitrilotriethanol	102-71-6
	2-Aminoethanol	141-43-5
	copper carbonate	12069-69-1
	Ethanol	64-17-5

California Prop 65

WARNING! This product contains a chemical known to the State of California to cause cancer.

2,2'-Iminodiethanol	111-42-2
---------------------	----------

Formaldehyde

50-00-0

The components of this product are reported in the following inventories:

TSCA : This is an EPA registered pesticide.

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

SECTION 16. OTHER INFORMATION

SECTIONS REVISED: 3
Major References : Available upon request.

THIS MATERIAL SAFETY DATA SHEET (MSDS) HAS BEEN PREPARED IN COMPLIANCE WITH THE FEDERAL OSHA HAZARD COMMUNICATION STANDARD, 29 CFR 1910.1200. THE INFORMATION IN THIS MSDS SHOULD BE PROVIDED TO ALL WHO WILL USE, HANDLE, STORE, TRANSPORT, OR OTHERWISE BE EXPOSED TO THIS PRODUCT. THIS INFORMATION HAS BEEN PREPARED FOR THE GUIDANCE OF PLANT ENGINEERING, OPERATIONS AND MANAGEMENT AND FOR PERSONS WORKING WITH OR HANDLING THIS PRODUCT. ARCH CHEMICALS BELIEVES THIS INFORMATION TO BE RELIABLE AND UP TO DATE AS OF THE DATE OF PUBLICATION BUT, MAKES NO WARRANTY THAT IT IS. ADDITIONALLY, IF THIS MSDS IS MORE THAN THREE YEARS OLD, YOU SHOULD CONTACT ARCH CHEMICALS MSDS CONTROL AT THE PHONE NUMBER ON THE FRONT PAGE TO MAKE CERTAIN THAT THIS DOCUMENT IS CURRENT. .