FOR ANY EMERGENCY, 24 HOURS / 7 DAYS, CALL:

FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTREC®:

FOR ALL SDS QUESTIONS & REQUESTS, CALL:

1-800-654-6911 (OUTSIDE USA: 1-423-780-2970) 1-800-424-9300 (OUTSIDE USA: 1-703-527-3887) 1-800-511-MSDS (OUTSIDE USA: 1-423-780-2347)

## PRODUCT NAME: APPLIED BIOCHEMISTS POOLTRINE 60

### **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

<u>Supplier</u> Applied Biochemists 1400 Bluegrass Lakes Parkway , Alpharetta, GA, 30004 USA

Telephone: +17705215999 Telefax: +17705215999 Web: www.poolspacare.com

Manufacturer Advantis Technologies 1200 Bluegrass Lakes Parkway Alpharetta, GA 30004 United States of America REVISION DATE: SUPERCEDES:

08/21/2015

02/18/2016

MSDS Number: SYNONYMS: CHEMICAL FAMILY: DESCRIPTION / USE FORMULA:

None Water treatment chemical None established

# **SECTION 2. HAZARDS IDENTIFICATION**

GHS Classification Acute toxicity (Oral)		Category 4
Acute toxicity (Oral)	•	Outegory 4
Acute toxicity (Inhalation)	:	Category 4
Eye irritation	:	Category 2B
GHS label elements		
Hazard pictograms	:	

Signal word	:	Warning
Hazard statements	:	H302 + H332 Harmful if swallowed or if inhaled H320 Causes eye irritation.
Precautionary statements	:	<ul> <li>Prevention:</li> <li>P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.</li> <li>P264 Wash skin thoroughly after handling.</li> <li>P270 Do not eat, drink or smoke when using this product.</li> <li>P271 Use only outdoors or in a well-ventilated area.</li> <li><b>Response:</b></li> <li>P301 + P312 + P330 IF SWALLOWED: Call a POISON</li> <li>CENTER/doctor if you feel unwell. Rinse mouth.</li> <li>P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON</li> <li>CENTER/doctor if you feel unwell.</li> <li>P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P312 Call a POISON CENTER/doctor if you feel unwell.</li> <li>P332 + P313 If skin irritation occurs: Get medical advice/ attention.</li> <li>P337 + P313 If eye irritation persists: Get medical advice/ attention.</li> <li>P337 + P313 If eye irritation persists: Get medical advice/ attention.</li> <li>P376 = P404 Store in a dry place. Store in a closed container.</li> <li>P410 + P403 Protect from sunlight. Store in a well-ventilated place.</li> <li><b>Disposal:</b></li> <li>P501 Dispose of contents/ container to an approved waste disposal plant.</li> </ul>
Other hazards		

### Other hazards

None known.

# **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

CAS OR CHEMICAL NAME POLY [OXYETHYLENE (DIMETHYLIMINIO) ETHYLENE

<u>CAS #</u> 31512-74-0 <u>% RANGE</u> 55 - 65

# **SECTION 4. FIRST AID MEASURES**

General Advice:	Call a poison control center or doctor for treatment advice. For 24-hour emergency medical assistance, call Arch Chemical Emergency Action Network at 1-800-654-6911. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
Inhalation:	IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
Skin Contact:	IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
Eye Contact:	IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
Ingestion:	IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

# **SECTION 5. FIREFIGHTING MEASURES**

Flammability Summary (OSHA):	Combustible above 93 deg. C / 200 deg. F.
Flammable Properties Flash Point:	100 °C
Fire / Explosion Hazards: Extinguishing Media: Fire Fighting Instructions:	May be ignited by open flame. Water fog Carbon dioxide (CO2) Foam Dry powder Use water spray to cool unopened containers. In case of fire, use normal fire-fighting equipment and the personal protective equipment recommended in Section 8 to include a NIOSH approved self-contained breathing apparatus.

# SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Protection for Emergency Situations:	Use the personal protective equipment recommended in Section 8 and a NIOSH approved self-contained breathing apparatus.
<u>Spill Mitigation Procedures</u>	Not applicable
Air Release:	solubleIf the product contaminates rivers and lakes or drains inform
Water Release:	respective authorities.

Land Release:	Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).Do not contaminate ponds, waterways or ditches with chemical or used container.
Additional Spill Information :	Prevent further leakage or spillage if safe to do so. Use personal protective equipment as required. Evacuate personnel to safe areas. Remove all sources of ignition.

## **SECTION 7. HANDLING AND STORAGE**

Handling:	Do not take internally. Avoid contact with skin, eyes and clothing. If in eyes or on skin, rinse well with water. Avoid breathing vapours, mist or gas.
Storage:	Store in a cool, dry and well ventilated place. Isolate from incompatible materials. Do not freeze.
Incompatible Materials for Storage:	Refer to Section 10, "Incompatible Materials."

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Ventilation:	No exposure limits exist for the constituents of this product. Additional ventilation beyond that of general exhaust is not normally required.
Protective Equipment for Ro	utine Use of Product

Respiratory Protection :	Respiratory protection not normally needed., If vapors, mists or aerosols are generated, wear a NIOSH approved respirator., Wear a NIOSH approved N95 respirator.
Skin Protection :	Impervious gloves
Eye Protection:	Safety glasses with side-shields
Protective Clothing Type:	Impervious clothing
General Protective	Emergency eyewash should be provided in the immediate work area.
Measures:	

### Components with workplace control parameters

no data available

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Physical State:
Form
Color:
Odor:
Molecular Weight:
pH :

liquid <\*\* Phrase does not exist: LONZA - SX0900048460 \*\*> <\*\* Phrase does not exist: LONZA - SX0900048460 \*\*> <\*\* Phrase does not exist: LONZA - SX0900048460 \*\*> None established 6.0 - 8.0 ()

Boiling Point:	>212 °F (100 °C)
Melting point/freezing point	< 32 °F (0 °C)
Density	no data available
Bulk Density:	() no data available
Vapor Pressure:	no data available
Vapor Density:	no data available
Viscosity:	125 mPa.s
	20 °C
Solubility in Water:	completely soluble
Partition coefficient n- octanol/water:	no data available
Evaporation Rate:	no data available
Oxidizing:	None established
Volatiles, % by vol.:	no data available
VOC Content	This product does not contain any chemicals listed under the U.S.
	Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40
	CFR 60.489). This product does not contain any VOC exemptions
	listed under the U.S. Clean Air Act Section 450.
HAP Content	no data available

## **SECTION 10. STABILITY AND REACTIVITY**

Stability and Reactivity Summary:	Stable under normal conditions.
Conditions to Avoid:	Heat, flames and sparks.
Chemical Incompatibility:	Anionic polymers
Hazardous Decomposition Products:	Carbon monoxide
Decomposition Temperature:	No data

## **SECTION 11. TOXICOLOGICAL INFORMATION**

Component Animal Toxicology Oral LD50 value: POLY [OXYETHYLENE LD50 (60% Active Ingredient) = 1,951 mg/kg Rat male (DIMETHYLIMINIO) ETHYLENE

LD50 (60% Active Ingredient) = 2,587 mg/kg Rat female

Component Animal Toxicology Dermal LD50 value: POLY [OXYETHYLENE LD50 (60% Active Ingredient) > 2,000 mg/kg Rabbit (DIMETHYLIMINIO) **ETHYLENE** 

<u>Component Animal Toxicology</u> <u>Inhalation LC50 value</u> : POLY [OXYETHYLENE LC50 4 h (60% Active Ingredient) = 2.9 ppm Rat (DIMETHYLIMINIO) ETHYLENE				
<u>Product Animal Toxicity</u> <u>Oral LD50 value:</u> <u>Dermal LD50 value:</u> <u>Inhalation LC50</u> <u>value</u> : Skin Irritation:	LD50 = 1,951 mg/kg F LD50 > 2,000 mg/kg F LC50 4 h approximately Contact would be expecte	Rat maleLD50 = 2,587 mg/kg Rabbit ⁄ 3 ppm Rat d to cause transient redness if no eriod of time., Not considered to b		
Eye Irritation: Skin Sensitization:	May cause mild eye irritati This material is not known	<i>A</i> ay cause mild eye irritation. This material is not known or reported to be a skin or respiratory sensitizer., A imilar product was found to be a negative skin sensitizer in the Guinea pig		
Acute Toxicity:	May cause mild eye irritation. Ingestion may cause mild gastrointestinal discomfort.			
Subchronic / Chronic Toxicity:				
Reproductive and Developmental Toxicity	This chemical has been tested in laboratory animals and no evidence of teratogenicity or fetotoxicity was seen.			
Mutagenicity:	mutagenicity assay a	Not known or reported to be mutagenic. A similar product was tested in a mutagenicity assay and was found to be non-mutagenic under the conditions of the test.		
Carcinogenicity:	This product is not known or reported to be carcinogenic by any reference source including IARC, OSHA, NTP or EPA.			
POLY [OXYETHYLENE (DIMETHYLIMINIO) ETHYLENE		A two-year rat carcinogenicity stud ncrease in c-cell adenomas in fen male rats and male and female mi evidence of carcinogenic response considered a carcinogen	nale rats. Studies with ice did not show any	

# **SECTION 12. ECOLOGICAL INFORMATION**

Overview:

Very toxic to aquatic life.

Ecological Toxicity Values for: POLY [OXYETHYLENE (DIMETHYLIMINIO) ETHYLENE

Rainbow trout (Salmo gairdneri),	-	96 h LC50 = 0.047 mg/l
Bluegill sunfish	-	96 h LC50 = 0.21 mg/l
Pimephales promelas (fathead		96 h LC50 = 0.26 mg/l
minnow)		

Daphnia magna,

Mysid shrimp - 96 h LC50= 13 mg/l - 48 h LC50= 0.37 mg/l

### **SECTION 13. DISPOSAL CONSIDERATIONS**

CARE MUST BE TAKEN TO PREVENT ENVIRONMENTAL CONTAMINATION FROM THE USE OF THE MATERIAL. THE USER OF THE MATERIAL HAS THE RESPONSIBILITY TO DISPOSE OF UNUSED MATERIAL, RESIDUES AND CONTAINERS IN COMPLIANCE WITH ALL RELEVANT LOCAL, STATE AND FEDERAL LAWS AND REGULATIONS REGARDING TREATMENT, STORAGE AND DISPOSAL FOR HAZARDOUS AND NONHAZARDOUS WASTES.

Waste Disposal Summary :

If this product becomes a waste, it DOES NOT meet the criteria of a hazardous waste as defined under 40 CFR 261, in that it does not exhibit the characteristics of hazardous waste of Subpart C, nor is it listed as a hazardous waste under Subpart D.As a nonhazardous liquid waste, it should be disposed of in accordance with local, state and federal regulations.

### **SECTION 14. TRANSPORT INFORMATION**

<b>DOT</b> UN number Description of the goods Class Packing group Labels Emergency Response Guidebook Number	<ul> <li>3082</li> <li>Environmentally hazardous substance, liquid, n.o.s.</li> <li>(Poly[oxyethylene (dimethyliminio) ethylene])</li> <li>9</li> <li>III</li> <li>9</li> <li>111</li> <li>171</li> </ul>
<b>TDG</b> UN number Description of the goods Class Packing group Labels	<ul> <li>: 3082</li> <li>: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Poly[oxyethylene (dimethyliminio) ethylene])</li> <li>: 9</li> <li>: III</li> <li>: 9</li> </ul>
IATA UN number Description of the goods PPLIED BIOCHEMISTS POOLTRING	<ul> <li>: 3082</li> <li>: Environmentally hazardous substance, liquid, n.o.s. (Poly[oxyethylene (dimethyliminio) ethylene])</li> </ul>

Class Packing group Labels Packing instruction (cargo aircraft)	: 9 : III : 9MI : 964
Packing instruction (passenger aircraft)	: 964
Packing instruction (passenger aircraft)	: Y964
IMDG-CODE	
UN number	: 3082
Description of the goods	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Class	(Poly[oxyethylene (dimethyliminio) ethylene]) : 9
Packing group	: 11
Labels	: 9
EmS Number 1	: F-A
EmS Number 2	: S-F
Marine pollutant	: yes

## **SECTION 15. REGULATORY INFORMATION**

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals.

Signal word	: CAUTION!
Hazard statements	: Harmful if swallowed.
	This pesticide is toxic to fish.

### EPCRA - Emergency Planning and Community Right-to-Know Act

#### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

#### **SARA 302**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### **SARA 313**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

### **Clean Water Act**

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

#### **US State Regulations**

#### Massachusetts Right To Know

	No components are subject to the Massachusetts Right to Know Act.	
Pennsylvania Right To Know		
	Poly[oxyethylene (dimethyliminio) ethylene]	31512-74-0
New Jersey Right To Know		
	Poly[oxyethylene (dimethyliminio) ethylene]	31512-74-0
California Prop 65		
	This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.	

#### The components of this product are reported in the following inventories:

TSCA

: This is an EPA registered pesticide.

#### Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

### **SECTION 16. OTHER INFORMATION**

SECTIONS REVISED: Major References : 15 Available upon request.

THIS MATERIAL SAFETY DATA SHEET (MSDS) HAS BEEN PREPARED IN COMPLIANCE WITH THE FEDERAL OSHA HAZARD COMMUNICATION STANDARD, 29 CFR 1910.1200. THE INFORMATION IN THIS MSDS SHOULD BE PROVIDED TO ALL WHO WILL USE, HANDLE, STORE, TRANSPORT, OR OTHERWISE BE EXPOSED TO THIS PRODUCT. THIS INFORMATION HAS BEEN PREPARED FOR THE GUIDANCE OF PLANT ENGINEERING, OPERATIONS AND MANAGEMENT AND FOR PERSONS WORKING WITH OR HANDLING THIS PRODUCT. ARCH CHEMICALS BELIEVES THIS INFORMATION TO BE RELIABLE AND UP TO DATE AS OF THE DATE OF PUBLICATION BUT, MAKES NO WARRANTY THAT IT IS. ADDITIONALLY, IF THIS MSDS IS MORE THAN THREE YEARS OLD, YOU SHOULD CONTACT ARCH CHEMICALS MSDS CONTROL AT THE PHONE NUMBER ON THE FRONT PAGE TO MAKE CERTAIN THAT THIS DOCUMENT IS CURRENT.