FOR ANY EMERGENCY, 24 HOURS / 7 DAYS, CALL: 1-800-654-6911 (OUTSIDE

USA: 1-423-780-2970)
FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTREC®: 1-800-424-9300 (OUTSIDE USA: 1-703-527-3887)

FOR ALL SDS QUESTIONS & REQUESTS, CALL: 1-800-511-MSDS (OUTSIDE

USA: 1-423-780-2347)

PRODUCT NAME: LEISURE TIME FILTER CLEAN

## SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

 Supplier
 REVISION DATE:
 08/20/2015

 Leisure Time
 SUPERCEDES:
 05/27/2015

Leisure Time SUPERCEDES: 05/27/2015 1400 Bluegrass Lakes Parkway ,

Alpharetta, GA, 30004 MSDS Number: 000000024441

SYNONYMS:
CHEMICAL FAMILY: None

Telephone: +17705215959
Telefax: +17705215959
DESCRIPTION / USE
Water treatment chemical

Web: www.poolspacare.com

FORMULA: None established

Manufacturer

Advantis Technologies 1200 Bluegrass Lakes Parkway Alpharetta, GA 30004 United States of America

### **SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification** 

Skin corrosion : Category 1B

Serious eye damage : Category 1

Acute toxicity (Inhalation) : Category 4

**GHS Label element** 

Hazard pictograms :





LEISURE TIME FILTER CLEAN REVISION DATE: 08/20/2015

Signal word : Danger

Hazard statements : H314 Causes severe skin burns and eye damage.

H332 Harmful if inhaled.

Precautionary statements : **Prevention:** 

P260 Do not breathe vapours.

P264 Wash hands thoroughly after handling. P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/ protective clothing/ eye protection/

face protection.

Response:

P304 + P340 IF INHALED: Remove victim to fresh air and keep at

rest in a position comfortable for breathing.

P310 Immediately call a POISON CENTER or doctor/ physician. P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT

induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately

all contaminated clothing. Rinse skin with water/shower.

P321 Specific treatment (see supplemental first aid instructions on

this label).

P363 Wash contaminated clothing before reuse.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/container in accordance with local

regulation.

#### Other hazards

None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS OR CHEMICAL NAME HYDROCHLORIC ACID	<u>CAS#</u> 7647-01-0	<u>% RANGE</u> 3 - 13
SULFURIC ACID	7664-93-9	3 - 13
Secondary alcohol ethoxylate	84133-50-6	1 - 11
Citric Acid	77-92-9	0 - 8
Alcohols, C12-18, ethoxylated and propoxylated	69227-21-0	0 - 6

LEISURE TIME FILTER CLEAN

REVISION DATE: 08/20/2015 Page 2 of 12

## **SECTION 4. FIRST AID MEASURES**

Inhalation: IF INHALED: Remove individual to fresh air. Seek medical attention if breathing

becomes difficult or if respiratory irritation develops. If not breathing, give artificial

respiration. Call for medical assistance.

Skin Contact: IF ON SKIN: Immediately flush skin with plenty of water for 15 minutes. If clothing

> comes in contact with the product, the clothing should be removed immediately and laundered before re-use. Seek medical attention if irritation develops.

IF IN EYES: Immediately flush eyes with plenty of water for at least 15 minutes. Eye Contact:

Seek medical attention immediately.

IF SWALLOWED: Call a physician immediately. DO NOT induce vomiting unless Ingestion:

directed to do so by a physician. Never give anything by mouth to an unconscious

person.

Probable mucosal damage may contraindicate the use of gastric lavage. Notes to Physician:

## **SECTION 5. FIREFIGHTING MEASURES**

Flammability Summary (OSHA): Product is not known to be flammable, combustible, pyrophoric or

explosive.

Flammable Properties

Flash Point: No data.

Fire / Explosion Hazards: Material will not ignite or burn.

Extinguishing Media: Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Use water spray to cool unopened containers. In case of fire, use Fire Fighting Instructions:

normal fire-fighting equipment and the personal protective

equipment recommended in Section 8 to include a NIOSH approved

self-contained breathing apparatus.

Upper Flammable / Explosive Limit,

% in air:

No data

Lower Flammable / Explosive Limit,

No data

% in air:

### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal Protection for Emergency

Situations:

Additional protective clothing must be worn to prevent personal contact with this material. Those items include but are not limited to

boots, impervious gloves, hard hat, splash-proof goggles,

impervious clothing, i.e., chemically impermeable suit, self-contained

breathing apparatus.

**Spill Mitigation Procedures** 

Air Release: Keep people away from and upwind of spill/leak.

LEISURE TIME FILTER CLEAN

REVISION DATE: 08/20/2015 Page 3 of 12

Water Release: This material is soluble in water.Notify all downstream users of

possible contamination. Divert water flow around spill if possible and

safe to do so.

Land Release: Contain spillage, soak up with non-combustible absorbent material,

(e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).Do not contaminate ponds, waterways or ditches with

chemical or used container.

Additional Spill Information : Prevent further leakage or spillage if safe to do so. Use personal

protective equipment as required. Evacuate personnel to safe areas.

## **SECTION 7. HANDLING AND STORAGE**

Handling: Do not take internally. Avoid contact with skin, eyes and clothing. If

in eyes or on skin, rinse well with water. Avoid breathing vapours,

mist or gas.

Storage: Store in a cool, dry and well ventilated place. Isolate from

incompatible materials. Do not freeze.

Incompatible Materials for Storage:

Refer to Section 10, "Incompatible Materials."

Empty Container Warning: Empty containers retain hazardous residue, dispose of accordingly.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ventilation: Local exhaust ventilation or other engineering controls are normally required

when handling or using this product to keep airborne exposures below the

TLV, PEL or other recommended exposure limit.

Protective Equipment for Routine Use of Product

Respiratory Protection: Wear a NIOSH approved respirator if levels above the exposure limits are

possible., A NIOSH approved full-face air purifying respirator with acid gas cartridge and N-95 filter. Air purifying respirators should not be used in oxygen deficient or IDLH atmospheres or if exposure concentrations exceed

ten (10) times the published limit.

Skin Protection: Avoid contact with skin. Impervious gloves Boots Apron A full impervious suit

is recommended if exposure is possible to a large portion of the body.

Eye Protection: Chemical resistant goggles must be worn. Face-shield

Protective Clothing Type: Neoprene, Butyl rubber, Natural rubber

General Protective Ensure that eyewash stations and safety showers are close to the

Measures: workstation location.

#### Components with workplace control parameters

Components (CAS-No.)	Value	Control parameters	Basis (Update)
HYDROCHLORIC ACID (7647-01-0)		2 ppm	ACGIH (02 2014)

LEISURE TIME FILTER CLEAN

REVISION DATE: 08/20/2015 Page 4 of 12

 SULFURIC ACID (7664-93-9)
 TWA
 0.2 mg/m3
 ACGIH (02 2014)

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Physical State: liquid
Form No data.
Color: No data.
Odor: No data.

Molecular Weight: None established

pH: 0.0 - 2.0

()

No data

Soluble

No data.

Boiling Point: 212 °F (100 °C)

Melting point/freezing

point

Density No data

Vapor Pressure: No data Vapor Density: > 1

Viscosity: no data available

Solubility in Water: Partition coefficient n-

octanol/water:

Evaporation Rate: No data

Oxidizing: None established Volatiles, % by vol.: no data available

VOC Content This product does not contain any chemicals listed under the

U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's

(40 CFR 60.489). This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.

**HAP Content** 

# **SECTION 10. STABILITY AND REACTIVITY**

Stability and Reactivity Summary: Stable under normal conditions., Product will not undergo

hazardous polymerization.

Conditions to Avoid: Heat

Chemical Incompatibility: Amines, Metals, alkalis

Hazardous Decomposition Products: Carbon oxides, Sulphur oxides, Nitrogen oxides (NOx), Hydrogen

Decomposition Temperature: No data

### SECTION 11. TOXICOLOGICAL INFORMATION

Component Animal Toxicology

Oral LD50 value:

HYDROCHLORIC ACID LD50 900 mg/kg Rabbit

LEISURE TIME FILTER CLEAN

REVISION DATE: 08/20/2015 Page 5 of 12

SULFURIC ACID LD50 = 2,140 mg/kg Rat Secondary alcohol LD50 = 1,630 mg/kg Rat

ethoxylate

Citric Acid LD50 = 3,000 mg/kg Rat

Component Animal Toxicology

Dermal LD50 value:

HYDROCHLORIC ACID No data

SULFURIC ACID LD50 > 2,000 mg/kg Rabbit Secondary alcohol LD50 = 1,127 mg/kg Rabbit

ethoxylate

Citric Acid LD50 Believed to be > 2,000 mg/kg Rabbit

Component Animal Toxicology

Inhalation LC50 value:

HYDROCHLORIC ACID Inhalation LC50 1 h 3124 ppm Rat

SULFURIC ACID LC50 1 h (aerosol) = 1.02 mg/l Rat

Secondary alcohol LC50 1 h (aerosol) = 4.24 mg/l Rat

ethoxylate

LC50 4 h (aerosol) = 1.06 mg/l Rat

Citric Acid no data available

**Product Animal Toxicity** 

Oral LD50 value: LD50 Believed to be approximately 5,000 mg/kg Rat

Dermal LD50 value: LD50 Believed to be > 2,000 mg/kg Rabbit

Inhalation LC50 LC50 1 h (aerosol) Believed to be approximately 7.9 mg/l Rat

value:

Skin Irritation: Corrosive to skin Eye Irritation: Corrosive to eyes

Skin Sensitization: This material is not known or reported to be a skin or respiratory sensitizer.

Secondary alcohol ethoxylate This material tested negative for skin sensitization in

humans.

Acute Toxicity: Corrosive to eyesCorrosive to skinMay cause respiratory tract irritation.

Subchronic / Chronic Not known or reported to cause subchronic or chronic toxicity.

Toxicity:

Reproductive and Not known or reported to cause reproductive or developmental toxicity.

**Developmental Toxicity:** 

SULFURIC ACID This product did not cause reproductive or

developmental effects in a study with laboratory

animals.

LEISURE TIME FILTER CLEAN

REVISION DATE: 08/20/2015 Page 6 of 12

Citric Acid This chemical has been tested in laboratory animals

and there was no evidence of reproductive toxicity or

teratogenicity.

Mutagenicity: Not known or reported to be mutagenic.

HYDROCHLORIC ACID This chemical has been shown to be non-mutagenic

based on a battery of assays.

SULFURIC ACID This product has been tested for mutagenicity. Tests

revealed both positive and negative results. Based on the weight of evidence, we judge this product NOT to be

a mutagenic hazard.

Citric Acid This product was determined to be non-mutagenic in

the Ames assay. It was also shown to be negative in

the Dominant lethal assay.

Carcinogenicity: This product is not known or reported to be carcinogenic by any reference

source including IARC, OSHA, NTP or EPA. The International Agency for Research on Cancer (IARC) has determined that there is sufficient evidence that occupational exposure to strong inorganic acid mists containing sulfuric acid is carcinogenic (Group I carcinogen). The following data is available for

sulfuric acid:

HYDROCHLORIC ACID The International Agency for Research on Cancer

(IARC) has classified this product or a component of this product as a Group 3 substance, Unclassifiable as

to Its Carcinogenicity to Humans.

SULFURIC ACID This chemical is not known or reported to be

carcinogenic by any reference source including IARC,

OSHA, NTP, or EPA. IARC evaluated several

epidemiology studies where workers from a variety of industries had been exposed to a mixture of strong inorganic acid mists. IARC has concluded that there is sufficient evidence that occupational exposure to a mixture of strong inorganic-acid mists containing sulfuric acid is carcinogenic to humans (Group I carcinogen). Because cancer has not been observed in animals when they are exposed only to sulfuric acid mists, exposure to sulfuric acid by itself was not determined to

be carcinogenic to humans.

Citric Acid The carcinogenicity has been evaluated through animal

study and it was found not to be carcinogenic.

## **SECTION 12. ECOLOGICAL INFORMATION**

Overview: Because of the low pH of this product, it would be expected to produce

significant ecotoxicity upon exposure to aquatic organisms and aquatic systems.,

No data for product. Individual constituents are as follows:

LEISURE TIME FILTER CLEAN

REVISION DATE: 08/20/2015 Page 7 of 12

Ecological Toxicity Values for: HYDROCHLORIC ACID

Mosquito fish - 96 h LC50 = 282 mg/l

Bluegill - 48 h LC50 = 3.6 mg/l Pimephales promelas (fathead - 96 h LC50 = 21.9 mg/l

minnow)

Common shrimp (Crangon - (nominal, renewal). 48 h LC50= 260 mg/l

crangon)

Daphnia magna, - 48 h EC50= 0.492 mg/l

Ecological Toxicity Values for: SULFURIC ACID

Mosquito fish - (nominal, static). 96 h LC50 42 mg/l

Bluegill sunfish - 96 h LC50 10.5 mg/l

Common shrimp (Crangon - (nominal, renewal). 48 h LC50 70-80 mg/l

crangon)

Daphnia magna, - 24 h EC50 29 mg/l

Ecological Toxicity Values for: Secondary alcohol ethoxylate

Pimephales promelas (fathead - (static, renewal) 96 h LC50 = 1.7 mg/l

minnow)

Oncorhynchus mykiss (rainbow - (static, renewal) 96 h LC50 = 1.8 mg/l

trout)

Daphnia magna (Water flea) - (static, renewal) 48 h LC50 0.9 mg/l

Ecological Toxicity Values for: Citric Acid

Lepomis macrochirus (Bluegill - (static). 96 h LC50 = 1,516 mg/l

sunfish)

Daphnia magna (Water flea) - 72 h EC50Approximately 120 mg/l

## **SECTION 13. DISPOSAL CONSIDERATIONS**

CARE MUST BE TAKEN TO PREVENT ENVIRONMENTAL CONTAMINATION FROM THE USE OF THE MATERIAL. THE USER OF THE MATERIAL HAS THE RESPONSIBILITY TO DISPOSE OF UNUSED MATERIAL, RESIDUES AND CONTAINERS IN COMPLIANCE WITH ALL RELEVANT LOCAL, STATE AND FEDERAL LAWS AND REGULATIONS REGARDING TREATMENT, STORAGE AND DISPOSAL FOR HAZARDOUS AND NONHAZARDOUS WASTES.

Waste Disposal Summary: If this product becomes a waste, it meets the criteria of a hazardous

waste as defined under 40 CFR 261 and would have the following EPA hazardous waste number: D002.As a hazardous liquid waste it must be disposed of in accordance with local, state and federal

regulations.

LEISURE TIME FILTER CLEAN

REVISION DATE: 08/20/2015 Page 8 of 12

### **SECTION 14. TRANSPORT INFORMATION**

DOT

UN number : 1760

Description of the goods : Corrosive liquids, n.o.s.

: (hydrochloric acid, Sulphuric acid)

Class : 8
Packing group : II
Labels : 8
Emergency Response : 154

Guidebook Number

TDG

UN number : 1760

Description of the goods : CORROSIVE LIQUID, N.O.S.

(hydrochloric acid, Sulphuric acid)

Class : 8 Packing group : II Labels : 8

IATA

UN number : 1760

Description of the goods : Corrosive liquid, n.o.s.

(hydrochloric acid, Sulphuric acid)

Class : 8
Packing group : II
Labels : 8
Packing instruction (cargo : 855

aircraft)

Packing instruction : 851

(passenger aircraft)

Packing instruction : Y840

(passenger aircraft)

**IMDG-CODE** 

UN number : 1760

Description of the goods : CORROSIVE LIQUID, N.O.S.

(hydrochloric acid, Sulphuric acid)

Class : 8
Packing group : II
Labels : 8
EmS Number 1 : F-A
EmS Number 2 : S-B

## **SECTION 15. REGULATORY INFORMATION**

#### **EPCRA - Emergency Planning and Community Right-to-Know Act**

LEISURE TIME FILTER CLEAN

REVISION DATE: 08/20/2015 Page 9 of 12

### **CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Sulphuric acid	7664-93-9	1000	*

<sup>\*:</sup> Calculated RQ exceeds reasonably attainable upper limit.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

#### **SARA 302**

The following components are subject to reporting levels established by SARA Title III, Section 302:

hydrochloric acid 7647-01-0 Sulphuric acid 7664-93-9

#### **SARA 313**

The following components are subject to reporting levels established by SARA Title III, Section 313:

hydrochloric acid 7647-01-0 Sulphuric acid 7664-93-9

#### Clean Air Act

The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 12 (40 CFR 61):

hydrochloric acid 7647-01-0

The following chemical(s) are listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F):

hydrochloric acid 7647-01-0 Sulphuric acid 7664-93-9

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

#### Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

hydrochloric acid 7647-01-0 Sulphuric acid 7664-93-9

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

LEISURE TIME FILTER CLEAN

REVISION DATE: 08/20/2015 Page 10 of 12

hydrochloric acid 7647-01-0 Sulphuric acid 7664-93-9

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

**US State Regulations** 

Massachusetts Right To Know

hydrochloric acid 7647-01-0 Sulphuric acid 7664-93-9

Pennsylvania Right To Know

hydrochloric acid 7647-01-0 Sulphuric acid 7664-93-9 Alcohols, C12-14- 84133-50-6

secondary, ethoxylated

Citric acid 77-92-9

**New Jersey Right To Know** 

hydrochloric acid 7647-01-0 Sulphuric acid 7664-93-9 Alcohols, C12-14- 84133-50-6

secondary, ethoxylated

Citric acid 77-92-9

California Prop 65

WARNING! This product contains a chemical known to the

State of California to cause cancer.

Sulphuric acid 7664-93-9

The components of this product are reported in the following inventories:

TSCA : The components of this product are listed on the TSCA

Inventory of Existing Chemical Substances.

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

### **SECTION 16. OTHER INFORMATION**

Major References : Available upon request.

LEISURE TIME FILTER CLEAN

REVISION DATE: 08/20/2015 Page 11 of 12

THIS MATERIAL SAFETY DATA SHEET (MSDS) HAS BEEN PREPARED IN COMPLIANCE WITH THE FEDERAL OSHA HAZARD COMMUNICATION STANDARD, 29 CFR 1910.1200. THE INFORMATION IN THIS MSDS SHOULD BE PROVIDED TO ALL WHO WILL USE, HANDLE, STORE, TRANSPORT, OR OTHERWISE BE EXPOSED TO THIS PRODUCT. THIS INFORMATION HAS BEEN PREPARED FOR THE GUIDANCE OF PLANT ENGINEERING, OPERATIONS AND MANAGEMENT AND FOR PERSONS WORKING WITH OR HANDLING THIS PRODUCT. ARCH CHEMICALS BELIEVES THIS INFORMATION TO BE RELIABLE AND UP TO DATE AS OF THE DATE OF PUBLICATION BUT, MAKES NO WARRANTY THAT IT IS. ADDITIONALLY, IF THIS MSDS IS MORE THAN THREE YEARS OLD, YOU SHOULD CONTACT ARCH CHEMICALS MSDS CONTROL AT THE PHONE NUMBER ON THE FRONT PAGE TO MAKE CERTAIN THAT THIS DOCUMENT IS CURRENT.

LEISURE TIME FILTER CLEAN REVISION DATE: 08/20/2015